

## CONTENT PAGE

#### Contact

sales@newwavedisplay.com +65 6241 5280

#### Address

3016 Bedok North Ave 4, Eastech, S(489947) Office #07-21 Production #05-28

#### **DIGITAL SIGNAGE**

Slim LCD Digital Floor Stand	2
LCD Video Wall Screen	2
Portable LCD Digital Signage Player ————————————————————————————————————	3
LCD Horizontal Digital Touch Kiosk —	
Digital Signage Menu Board	4
Super Slim Double Sided Advertising Display —	4
Holographic Transparent Box	5
Interactive Electronic Whiteboard	6
Outdoor Super Slim LCD Floor Stand ————————————————————————————————————	7
Rotatable Smart Touch Screen with Stand	7
PORTABLE BACKDROP	
SEG Pop Up Backdrop —	
Isoframe Ripple —	8
SEGO Lightbox Backdrop ————————————————————————————————————	
Dynamic Plus Pop Up System ————————————————————————————————————	10
Tension Fabric Backdrop ————————————————————————————————————	11
PORTABLE COUNTER	
Dynamic Pop Up Reception Counter —	
SEG Pop Up Counter	12
Fabric Case —	
Standard Promotional Counter ————————————————————————————————————	13
FAB Frame Counter	13
BANNER STAND	
Budget Roll Up Banner	14
Cruise Roll Up Banner —	
Penguin Banner Stand	14
IGNITE Standing Lightbox	14
RENTAL	
R8 Exhibition Panel System —	
Clip and Pole Panel System	16
OTHERS	
LED Acrylic Cube Lightbox	
LED Fabric Cube Lightbox	
Acrylic Fabrication ————————————————————————————————————	
Sticker Printing and Installation ————————————————————————————————————	
Wooden Backdrop ————————————————————————————————————	18

# **SLIM LCD**DIGITAL FLOOR STAND



Slim LCD Digital Floor Stand is fashionable and eye-catching. Using only A+ Grade screen wrapped in tempered glass, it boasts outstanding display quality complemented by easy-to-use touchscreen function for your advertising needs. Not only can you create dynamic content with our digital signage CMS remotely via cloud server, but you may also display and navigate digital catalogue and products with comfort.

#### SIZES AVAILABLE

43"	49"	55"	65"

#### SCREEN

Touch screen	Non-touch screen
1000113015611	NOII-LUUGII SGIGGII


#### COLOUR

White	Black

#### SPECIFICATIONS

System	Android OS
Resolution	1080 x 1920 / 2160 x 3840
Brightness	350 - 700cd/m2
Contrast	3000:1
Viewing angle	178°







Draw in the crowd with this alluring and eye-catching digital signage best suited for smart retail. Built with elegance, our lightweight Portable LCD Digital Signage Player is movable to any suitable corner of your retail space.



#### **SIZES AVAILABLE**

32" 43"

SPECIFICATIONS	32"	43"
System	Android OS	
Resolution	1080 x 1920	
Brightness	350cd/m2	100
Contrast	1200:1	1100:1
Viewing angle	178°	
	400	
Nand memory	16G	
D: 1	00.0	50.0









## DIGITAL SIGNAGE MENU BOARD



Users no longer need to buy and rely on third party media player equipment to implement their digital signage solutions.

#### SIZES AVAILABLE

[ 43"   55"   65"   75"   86"   98"   100"
--

#### OPTIONAL ADD ON

Ceiling mount bracket for 2 screens

Ceiling mount bracket for 3 screens

With an Android OS it is easy to create content either with our CMS solution or simply plug and play your content. You could even show live feeds or the URL of your choice.

#### SPECIFICATIONS

Max resolution	1920 x 1080
Brightness	350 - 500cd/m²
Angle	178°
Energy	Efficient LED backlight technology

## SUPER SLIM DOUBLE SIDED ADVERTISING DISPLAY

Our super slim double sided advertising display is an innovative way to display any advertisement at any venue in Singapore. Two QLED panels are fixed on both sides.

Embedded onto a clear glass panel thus giving the impression that the screens float in the air and the advertising media comes directly from the glass surface. With its slim and sophisticated design and dual display, it is a great way to separate spaces.

#### SIZES AVAILABLE

43" 55"

#### SPECIFICATIONS

5. 20. 10. 10. 10. 10.	
System	Android OS
Resolution	2160 x 3840
Brightness	450cd/m <sup>2</sup>
Contrast	4000:1
Viewing angle	178°
Aspect ratio	16:9
Audio	Realtek RTL8103EL, HD audio system





**IPS hard screen technology:** Offers a large viewing angle, fast response speed, and high color reproduction.

**a-Si TFT-LCD:** Provides a more perfect picture display.

**Ultra-high resolution:**  $2160 \times 3840$  resolution for delicate picture quality performance.

**Panel protection:** 5mm ultra-white crystal tempered glass with 7H hardness for durability.

**IPS technology:** Offers a often black display and wide viewing angles.

**Metal structure:** Provides resistance to radiation, magnetic fields, and strong electric interference.

Industrial-grade design: Ensures high reliability and stability.







#### SIZES AVAILABLE

75"	85"

#### SPECIFICATIONS

Response time

2LECILICATION2	
System	Windows/Android OS
Resolution	2160 x 3840
Brightness	500cd/m²
Contrast	4000:1
Screen	Infrared touch screen
Operation	24/7



## **ELECTRONIC WHITEBOARD**

- Support mobile phone wireless project, and reverse control
- QR code sharing, can download the content by QR scanning directly
- Built in eraser function, support hand gesture erasing
- Recording both the audio and pictures in MP4 format
- Support wireless projection function, both mobile and PC

			l	86"	98"	110"
Android	Android OS and Windows OS available					
3840 x	2160					
350	350	350	380	380	450	450
1200:1						
178°						
TFT LED backlight						
Android OS (optional)						
Sensitive 20 points IR touch						
USB x 3, HDMI x 1, touch x 1, type-C x 1 (opt)						
USB x 2, HDMI x 1, RS232 x 1, RJ45 x 1, AV x 2						
AV x 1, touch x 1, earphone x 1, SPDIF x 1 optical OUT port optional)						
2.4G built-in module x 1, 5G built-in module x 1 bluetooth 5.0 x 1						
	350 1200:1 178° TFT LE Android Sensitiv USB x 3 AV x 1, optical 2.4G bt	1200:1  178°  TFT LED backli Android OS (or Sensitive 20 po USB x 3, HDM USB x 2, HDM AV x 1, touch x optical OUT po 2.4G built-in m	350 350 350  1200:1  178°  TFT LED backlight Android OS (optional) Sensitive 20 points IR t USB x 3, HDMI x 1, tou USB x 2, HDMI x 1, earpl optical OUT port option 2.4G built-in module x	350 350 350 380  1200:1  178°  TFT LED backlight Android OS (optional)  Sensitive 20 points IR touch  USB x 3, HDMI x 1, touch x 1, ty  USB x 2, HDMI x 1, earphone x 1, optical OUT port optional)  2.4G built-in module x 1, 5G built-in module x 1,	350 350 350 380 380  1200:1  178°  TFT LED backlight Android OS (optional)  Sensitive 20 points IR touch  USB x 3, HDMI x 1, touch x 1, type-C x 1  USB x 2, HDMI x 1, RS232 x 1, RJ45 x 1  AV x 1, touch x 1, earphone x 1, SPDIF x optical OUT port optional)  2.4G built-in module x 1, 5G built-in	350   350   350   380   380   450   1200:1  178°  TFT LED backlight Android OS (optional) Sensitive 20 points IR touch  USB x 3, HDMI x 1, touch x 1, type-C x 1 (opt)  USB x 2, HDMI x 1, RS232 x 1, RJ45 x 1, AV x 2  AV x 1, touch x 1, earphone x 1, SPDIF x 1 optical OUT port optional)  2.4G built-in module x 1, 5G built-in module x 1

#### **OPTIONAL ADD ONS**

Camera	TV stand
Eshare wireless transmitter	Mini PC





# OUTDOOR SUPER SLIM LCD FLOOR STAND

Step up your outdoor advertising with the Super Slim Outdoor Digital Signage. This sleek digital display is designed to capture attention and deliver your message clearly in any environment.

With its vibrant 55-inch HD screen, this signage cuts through the visual noise to promote your brand. The durable design withstands tough outdoor conditions for reliable 24/7 operation.

#### SIZE

55"



#### SPECIFICATIONS

System	Android OS
Resolution	1080 x 1920
Brightness	2000cd/m <sup>2</sup>
Contrast	3000:1
Viewing angle	178°

Protect glass	6mm AR glass
Working temperature	-30° to 50°
Video interface	VGA, HDMI
Audio interface	I/O input and output





# ROTATABLE SMART TOUCH SCREEN WITH STAND

- Upload content with our content management system
- Create content remotely via our cloud server
- Plug and play
- Capacitive touch screen
- Full charge: Approx. 3 hours (device in off mode)
- · Hour of usage: Approx. 5 hours

#### SIZE

32"

#### **SPECIFICATIONS**

All the second s	
System	Android OS
Resolution	1080 x 1920
Brightness	350cd/m2
Contrast	≥ 1000:1
Viewing angle	178°



The SEG pop-up is a new portable fabric backdrop that uses silicone edges for a straight, tensioned graphic and supports double-sided printing. It sets up quickly without velcro and features a rust-resistant white powder-coated frame. Weighing about 20kg for a 3x3 size (225cm x 225cm), it includes accessories and an optional LED lighting system.

#### **DIMENSIONS**

1×3 straight	776 W x 2250 HT x 340 D (mm)
2×3 straight	1513 W x 2250 HT x 340 D (mm)
3×3 straight	2250 W x 2250 HT x 340 D (mm)
4×3 straight	2986 W x 2250 HT x 340 D (mm)

#### **OPTIONAL ADD ONS**

LED spotlights	Shelving	Screen holder
Stabilizing foot	Door	SEG tower
Bar counter	Internal showcase	Bridge



FABRIC MATERIAL PORTABLE BACKDROPS

SEG Popup

DEVLOP MANUFACTURE

70LLER

## ISOFRAME RIPPLE

- · Easy no tools assembly ideal for self-build
- Flex the entire display to almost any shape
- Enlarge or reduce to suit the event
- · Incredibly lightweight and compact
- Case to counter solutions available

#### SYSTEM

Single	3 section	5 section	Custom

#### DIMENSIONS

Panel graphic	800 W x 2100 HT (mm)
Counter graphic	1295 W x 1295 HT (mm)

#### OPTIONAL ADD ONS

LED spotlights Wrap around print Folding table top Media screen holder

ZOLLER TOOL PRESETTING AND MEASUREMENT SYSTEM.

## SEGO LIGHTBOX BACKDROP




Graphic material	Dye sub backlit fabric
Graphic finishing	Silicone beading sewn onto edge of graphic
Display constructions	Aluminium extrusion frame with plastic frame,
	OSRAM LED, driver, bag, cable and print
Set up size; Weight	• 100cm L x 240cm HT ; Weight: Approx 17kg
	• 200cm L x 240cm HT ; Weight: Approx 26kg
	• 300cm L x 240cm HT ; Weight: Approx 30kg







100cm L x 240cm ht 200cm L x 240cm ht



## DYNAMIC PLUS POP UP SYSTEM

Dynamic Plus pop up is the latest and economical choice for our pop up range. It comes with 5 years warranty on frame and magnetic bars, giving our client a peace of mind. We have match the pop up with a hardy and good size transportation case that can fit in most small car boot.

There are add on accessories of LED spotlights, wrap around print & a folding table top. Do a single side print or full wrap print or even linking 2 sets of pop up to create a larger backdrop.


#### **SYSTEM**

1x3	2x3	3x3	4x3
Stra	ight	Cur	ved

#### ADD ON

LED spotlight Folding table top Wrap around print















1 x 3 Straight 2 x 3 Curved 3 x 3 Curved 4 x 3 Straight

## TENSION FABRIC BACKDROP

The gradual replacement of traditional pop up display is none other than the Tension Fabric system. Weighing less than half the size of a conventional pop up system, Tension Fabric backdrop is so compact and portable you'll save on pricey shipping cost for overseas exhibition usage.

- 1 x aluminum frame (Dia: 30mm, thickness: 1.2mm)
- 1 x one sided dye sublimation printing graphic
- 1 x carrying bag

#### SIZE

8ft	10ft	20ft	Custom
-----	------	------	--------

#### **SYSTEM**

Straight   Gurved   O-shaped   G-shape	shaped	U-shaped	Curved	Straight
--	--------	----------	--------	----------

#### ADD ON

Fabric Transportation	Case	LED spotlight



FABRIC

8ft Tension fabric backdrop



10ft tension fabric backdrop

Fabric transportation

case / counter

#### **GALLERY**







U-shaped



MICHT

S-shaped



C-shaped



8ft Straight




8ft U-shaped



8ft Curved







10ft Straight 10ft Curved 20ft Straight with straight corner

# **DYNAMIC**POP UP RECEPTION COUNTER

- Material: Aluminium and steel
- Set up size: 1380mm L x 910mm HT x 460mm D
- Magnetic bars
- Come with good quality matt black finishing wooden table top
- Full vibrant color print mounted on non curl lexan sheet with magnetic strip
- Supplied with good quality carry bag with compartment & wheels + tube cone or graphic print
- Weight: Approx 20kg











# **SEG** POP UP COUNTER

- Flat and straight dye sublimation printed fabric graphic
- Light-weight aluminium frame with connectors
- Set up size: 1000mm L X 1000mm HT X 400mm D
- Comes with laminated table top
- 1x canvas carry bag





Optional

Back view

Backlit LED lighting kit











Hard transportation case for tension fabric backdrop Set up size: 970mm W x 980mm HT x 520mm D • Supplied with 1 x fabric print to convert to counter use

· Weight: Approx. 10kg

to counter usage







### STANDARD PROMOTIONAL COUNTER

The Standard Promotion Counter unit assembles into a robust, light weight counter. Easy set up and dismantle within minutes. Extremely cost effective for promotional usage. Comes with canvas bag for flat packing.

- Material: ABS frame & aluminium poles
- Build Up Size: 810mm W x 2000mm HT x 390mm D
- Counter Size: 810mm W x 860mm HT x 390mm D
- Fascia board: 800mm L x 300mm HT
- Weight: 6.8kg
- 1 x canvas carry bag
- Comes with full color sticker print

### **FAB FRAME** COUNTER

The Fab Frame Counter is a lightweight, portable counter that's as stable as a custom-built one. It features an aluminum frame and connectors for easy length adjustments. The high-quality fabric graphic, with silicone edges, creates a seamless appearance. It requires no tools for setup or takedown and can be quickly packed into provided canvas bags.

- Dimension: 1000mm HT x 1000mm L x 380mm D
- · Weight: 29kgs for counter, and 15kgs for door kit
- With laminate table top and center & bottom shelving
- · Aluminium frame with connectors
- · Supplied with canvas carry bag



### **BUDGET** ROLL UP BANNER

- · Compact and lightweight
- 3 sections anodized aluminium rods
- · Anodized aluminium base with roller and double feet
- Printed on good quality yupo material with matt lamination
- · Supplied with carry bag

#### **SET UP SIZE**

600mmW x 1700mmHT 850mm W x 2000mm HT 1000mmW x 2000mmHT 1200mmW x 2000mmHT 1500mmW x 2000mmHT





## **CRUISE** ROLL UP BANNER



- · Best mid range roll up banner
- Choose from black coated or silver base
- Printed on good quality yupo material with matt lamination
- · Supplied with good quality padded nylon carry bag


#### **SET UP SIZE**

850mm W x 2000mm HT 1200mm W x 2000mm HT 1500mm W x 2000mm HT



### **PENGUIN** BANNER STAND









- Aluminium tube frame with metal base
- · Supplied with carry bag

#### **SET UP SIZE**

917mm W x 2280mm HT 1222mm W x 2280mm HT 1526mm W x 2280mm HT

### **IGNITE** STANDING LIGHTBOX








- · Aluminum frame
- 1 x double-sided dye sublimation printing graphic
- 1 x carrying bag

#### **SET UP SIZE**

850mm W x 2000mm HT x 400mm D (stabilizing feet)







## LED ACRYLIC CUBE LIGHTBOX

## LED FABRIC CUBE LIGHTBOX













SIZES

40cm

50cm

60cm

Custom

SIZE

50cm

# **ACRYLIC** FABRICATION

No acrylic project is too big or too small for us. Our capabilities encompass a wide range of acrylic products, from intricate displays that catch the eye to functional and stylish acrylic boxes. We understand that your needs are unique. Our team of experts works closely with you to bring your ideas to life. With a variety of colors, shapes, and finishes at your disposal, the possibilities are endless.











newwavedisplay.com.sg

- 3016 Bedok North Ave 4 Eastech #07-21 Singapore 489947
- +65 6241 5280
- sales@newwavedisplay.com
- facebook.com/newwavedisplaytm
- o new\_wave\_display



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate.